

Eco Style

DC 52"

A contemporary three blade design to complement modern decor inside and outside the home.



F4010/101A
White
No Light



F4010/121A
White / Beechwood
No Light



F4010/202A
Black
No Light



F4010/205A
Black / Koa
No Light



F4011/101A
White
CCT LED Light



F4011/121A
White / Beechwood
CCT LED Light



F4011/202A
Black
CCT LED Light



F4011/205A
Black / Koa
CCT LED Light



52"
1320mm

8
Year

8 Year
Motor Warranty
2 year in home
+ 6 year motor
replacement


Technical Data

Key Details

Install Location:	Indoor / Outdoor*
Motor Type:	DC
Blade Material:	ABS Plastic
Operation:	Remote Control


Reversible:	Yes (via remote)
Timer:	1H / 4H / 8H
Ceiling Mount Angle:	0-15°
Blade Pitch:	15° (Approx)

About the CCT LED Light



Light Type:	LED (18w)
Dimmable:	Yes (8 Steps)

SP13-FM004 - User Replaceable LED Light Panel. Plug in LED panel can be replaced without an electrician.





Performance - No Light Models

Speed	Motor Wattage	RPM	Airflow
1	4.2w	74	5,050 m3/hr
2	6.6w	106	6,589 m3/hr
3	9.7w	129	7,846 m3/hr
4	14.8w	153	8,326 m3/hr
5	20.3w	171	9,035 m3/hr
6	35w	208	10,486 m3/hr

Performance - LED Light Models

Speed	Motor Wattage	RPM	Airflow
1	6.8w	90	6,150 m3/hr
2	10.4w	123	7,680 m3/hr
3	15w	142	8,063 m3/hr
4	21w	161	8,540 m3/hr
5	27w	175	9,580 m3/hr
6	36w	195	10,395 m3/hr

Dimensions



Extension Rods - No Light Models

K505M/109A White 900mm	K505M/118A White 1800mm
K505M/209A Black 900mm	K505M/218A Black 1800mm

Extension Rods - LED Light Models

K5061/109A White 900mm	K5061/118A White 1800mm
K5061/209A Black 900mm	K5061/218A Black 1800mm

Remote frequency 433 MHz.

Eco Style

DC 60"

A contemporary large diameter three blade design well suited to larger living spaces.



K4020/101A
White
No Light



K4020/121A
White / Beechwood
No Light



K4020/202A
Black
No Light



K4020/205A
Black / Koa
No Light



K4021/101A
White
CCT LED Light



K4021/121A
White / Beechwood
CCT LED Light



K4021/202A
Black
CCT LED Light



K4021/205A
Black / Koa
CCT LED Light



60"
1520mm

8
Year
8 Year
Motor Warranty
2 year in home
+ 6 year motor
replacement




Technical Data

Key Details

Install Location:	Indoor / Outdoor*
Motor Type:	DC
Blade Material:	ABS Plastic
Operation:	Remote Control


Reversible:	Yes (via remote)
Timer:	1H / 4H / 8H
Ceiling Mount Angle:	0-15°
Blade Pitch:	15° (Approx)

About the CCT LED Light

		
3000k 1435 Lumens	4000k 1474 Lumens	6000k 1461 Lumens

Light Type:	LED (24w)
Dimmable:	Yes (8 Steps)

SP13-FM004 - User Replaceable LED Light Panel. Plug in LED panel can be replaced without an electrician.





Performance

Speed	Motor Wattage	RPM	Airflow
1	5.6w	80	6,880 m3/hr
2	8.3w	96	8,050 m3/hr
3	11w	113	9,290 m3/hr
4	17w	136	10,500 m3/hr
5	27w	164	13,500 m3/hr
6	40w	191	15,200 m3/hr



Dimensions



Extension Rods - No Light Models

K505M/109A White 900mm	K505M/118A White 1800mm
K505M/209A Black 900mm	K505M/218A Black 1800mm

Extension Rods - LED Light Models

K5061/109A White 900mm	K5061/118A White 1800mm
K5061/209A Black 900mm	K5061/218A Black 1800mm

Remote frequency 433 MHz.