

## Installation Location


The mirrors are IP44 so can be installed in Zone 2 or Zone 3 of the bathroom.

This Goldair product is designed only to be used as a fixed product, installed onto the wall. If the product is installed or used for any other purpose the warranty will be void.

Installation of this product must be completed by a registered electrician.

The unit must be located and installed in accordance with the latest edition of AS/NZS 3000 and any local regulation information for mounting in damp areas (please consult your local electrician for information).

The unit must be installed on flat walls.



## Installation instructions

Ensure the electrical wiring has been installed in the wall to a position behind the mirror before commencing to install the mirror.

1. Determine the position where the mirror needs to be mounted.
2. Measure the distance between the two mounting brackets on the back of the mirror.
3. Mark the wall where the screws should be installed. Use a level to ensure the mirror will be level. It is recommended that the screws be installed into a timber cross beam for strength.






*Remember to take into account that the Mirror needs to be moved 10mm to the left or right to lock into position on the screws when determining where the mounting screws are installed onto the wall.*

4. Drill holes where the wall plugs will be installed using a drill bit that matches the diameter of the wall plugs. You do not need to use the wall plugs if anchoring to timber.

*Please check to avoid wires or water pipes when drilling.*

5. Install the wall plugs as required.

6. Install the screws leaving approx. 5mm from the screw head to the wall.



## Electrical Installation


**IMPORTANT NOTE:** All electrical work and installation of this product must be performed by a registered electrician in accordance with the latest edition of AS/NZS 3000.

Ensure power to the circuit to be used has been isolated at the power board before carrying out any electrical work.

Do not remove the plastic protection cover from each corner of the mirror before the installation is complete to prevent accidental injury.

Make the electrical connection.

Hang the mirror on the screws and move mirror 1cm horizontal to the left or right to lock onto the screw.



Once installed and locked in position, remove the plastic protection covers from each corner of the mirror.