


ASSEMBLY INSTRUCTIONS

Ski Leg Oak Dining Bench - 140cm - Natural/Black
Ski Leg Oak Dining Bench - 140cm - Natural/Natural
Ski Leg Oak Dining Bench - 180cm - Natural/Black
Ski Leg Oak Dining Bench - 180cm - Natural/Natural



Two people required

www.templeandwebster.com.au

Keep these instructions for future reference

Assemble the furniture on a soft level surface to avoid damaging the furniture or your floor.

Parts of the assembly will be easier with 2 people.

We recommend furniture be assembled near where they will be placed, to avoid moving the product unnecessarily once assembled.

If there is a need to move the furniture, please remove all loose items and have extra hands to help lift the furniture to the desired location. Dragging the furniture will damage both the furniture and the floor.

Regularly check and re-tighten (if necessary) all bolts on furniture that you have assembled yourself.


Maximum user weight is 120kg (per seat).

Care and Maintenance of your Furniture


Wipe clean with a damp cloth. Use only water or a gentle detergent.
Wipe dry with a clean cloth.

Do not stand on the Furniture


Tools Required



DO NOT USE




Mallet



Flat Head Screwdriver

Time Required



30 min


Parts List

Bench Top (P1);
Leg Post (P2) x 2;
Leg Post (P3) x 2;
Stretcher (P4) x 2.


People Required




TWO PERSON RECOMMENDED




Hardware/Fittings




Wood Dowel x 8
①




Long Threaded Rod x 8
②




Flat Washer x 12
③




Spring Washer x 12
④




Short Threaded Rod x 4
⑤




Half Moon Washers x 4
⑥




Nut x 12
⑦



Spanner x 1
⑧





Felt Foot x 4
⑨





Barrel Nut x 4
⑩

1






Insert 1 x Barrel Nut ⑩ into Leg Post (P2).
 If necessary, use a flat head screwdriver to rotate the Barrel Nut.
 Screw 2 x Long Threaded Rod ② into Barrel Nut ⑩.
 Screw 1 x Short Threaded Rod ⑤ into Leg Post (P2).
 Repeat with the remaining Leg Post (P2).

2




Insert 1 x Barrel Nut ⑩ into Leg Post (P3).
 If necessary, use a flat head screwdriver to rotate the Barrel Nut.
 Screw 2 x Long Threaded Rod ② into Barrel Nut ⑩.
 Screw 1 x Short Threaded Rod ⑤ into Leg Post (P3).
 Repeat with the remaining Leg Post (P3).

3



Insert 4 x Wood Dowel ① into Stretcher (P4).
If necessary, gently tap the wood dowels with a mallet.
Repeat with the remaining Stretcher (P4).

4



Place the Bench Top (P1) with its underside facing up on a soft covered surface.
Position 1 x Leg Post (P3) onto the corner of Bench Top (P1) as shown.
Loosely attach Leg Post (P3) to Table Top (P1) with 2 x Flat Washers ③, 2 x Spring Washers ④ and 2 x Nuts ⑦ .
Repeat with the remaining Leg Post (P2) onto the corner of Bench Top (P1) as shown.

5




⑦ x4



③ x4



④ x4



Fit Stretcher (P4) onto Leg Post (P3) as shown.

Position Leg Post (P2) onto the other end of Stretcher (P4) and the corner of Bench Top (P1) as shown.



Loosely attach Leg Post (P2) to Bench (P1) with 2 x Flat Washers ③, 2 x Spring Washers ④ and 2 x Nuts ⑦.

Fit Stretcher (P4) onto Leg Post (P2) as shown.

Position Leg Post (P3) onto the other end of Stretcher (P4) and the corner of Bench Top (P1) as shown.


Loosely attach Leg Post (P3) to Bench Top (P1) with 2 x Flat Washers ③, 2 x Spring Washers ④ and 2 x Nuts ⑦.

6





Attach Stretcher (P4) onto Leg Posts (P2) (P3) with 2 x half moon washers ⑥, 2 x Flat Washers ③, 2 x Spring Washers ④ and 2 x Nuts ⑦ on each leg frame. Fasten with Spanner ⑧.

7



Fasten all Nuts ⑦ with Spanner ⑧.
 Paste 2 x Felt Feet ⑨ onto each Stretcher (P4) as shown.

8



With help, carefully turn the table over.
 Assembly is complete.

**Please dispose of all
 packing thoughtfully.**