

ASSEMBLY INSTRUCTIONS GLDRCWNT

"Read these instructions and follow steps carefully to ensure you assemble the product correctly and avoid damages. Check that all parts and hardware have been provided before assembling the product. Place all contents on a clean, soft-flat surface to avoid scratching the product."



Only tighten bolts to 80% at first. Once all parts have been assembled, fully tighten all hardware.

To prevent damage to threads, do not use a power tool and do not overtighten bolts.

Use two people to lift and turn the product when assembling.

Do not attempt with only one person and do not roll onto legs.


Keep all hardware and small parts away from children."

| PART LIST | | |
|-----------|--------------|------|
| ITEM | DESCRIPTION | QTY |
| A | BACK FABRIC | 1PC |
| В | SEAT FABRIC | 1PC |
| С | CHAIR FRAME | 1PC |
| D | BACK | 2PCS |
| E | PLASTIC RODS | 2PCS |


| HARDWARE LIST | | | |
|---------------|-------------|----------|------|
| ITEM | DESCRIPTION | | QTY |
| 1 | SCREW M6X25 | <u> </u> | 2PCS |
| 2 | ALLEN KEY | | 2PCS |



STEP 1: Put the chair on the floor and pull the chair frame (C) (as the arrow direction shown)



STEP 2: Attach the back (D) to the chair frame (C). Then insert screws (1) through the back (D) into the chair frame (C). Fully tighten with allen key (2).





ASSEMBLY INSTRUCTIONS GLDRCWNT

"Read these instructions and follow steps carefully to ensure you assemble the product correctly and avoid damages. Check that all parts and hardware have been provided before assembling the product. Place all contents on a clean, soft-flat surface to avoid scratching the product."



Only tighten bolts to 80% at first. Once all parts have been assembled, fully tighten all hardware.

To prevent damage to threads, do not use a power tool and do not overtighten bolts. Use two people to lift and turn the product when assembling.

Do not attempt with only one person and do not roll onto legs.


Keep all hardware and small parts away from children."


| PART LIST | | |
|-----------|--------------|------|
| ITEM | DESCRIPTION | QTY |
| A | BACK FABRIC | 1PC |
| В | SEAT FABRIC | 1PC |
| С | CHAIR FRAME | 1PC |
| D | BACK | 2PCS |
| E | PLASTIC RODS | 2PCS |

| HARDWARE LIST | | | |
|---------------|-------------|----------|------|
| ITEM | DESCRIPTION | | QTY |
| 1 | SCREW M6X25 | <u> </u> | 2PCS |
| 2 | ALLEN KEY | | 2PCS |











ASSEMBLY INSTRUCTIONS GLDRCWNT

"Read these instructions and follow steps carefully to ensure you assemble the product correctly and avoid damages. Check that all parts and hardware have been provided before assembling the product. Place all contents on a clean, soft-flat surface to avoid scratching the product."



Only tighten bolts to 80% at first. Once all parts have been assembled, fully tighten all hardware.

To prevent damage to threads, do not use a power tool and do not overtighten bolts. Use two people to lift and turn the product when assembling.

Do not attempt with only one person and do not roll onto legs.


Keep all hardware and small parts away from children."

| PART LIST | | |
|-----------|--------------|------|
| ITEM | DESCRIPTION | QTY |
| A | BACK FABRIC | 1PC |
| В | SEAT FABRIC | 1PC |
| С | CHAIR FRAME | 1PC |
| D | BACK | 2PCS |
| E | PLASTIC RODS | 2PCS |

| HARDWARE LIST | | | |
|---------------|-------------|----------|------|
| ITEM | DESCRIPTION | | QTY |
| 1 | SCREW M6X25 | <u> </u> | 2PCS |
| 2 | ALLEN KEY | | 2PCS |



STEP 5: Insert the plastic rods (E) into the seat fabric (B) assembled in Step 4 (as the arrow direction shown)



STEP 6: Place the assembled chair upright on a level surface, then fully tighten all bolts. Your chair is now ready for use.

