
Assembly Instructions

Brighton - 160cm Buffet / Sideboard



Please read the Assembly Instructions carefully before assembling.
Imported By PRODESIGN FURNITURE PTY LTD.

WARNING

FAILURE TO FOLLOW THESE BASIC STEPS CAN LEAD TO DAMAGE THAT IS NOT COVERED BY YOUR WARRANTY

- 1. Read instructions carefully. Check no parts are missing.
- 2. Lay out all of the components on a soft surface as if you were preparing to do a jigsaw puzzle.
- 3. Carefully identify each component, especially those that are similar. The most common mistake is getting things back to front.
- 4. Separate and identify each component from the hardware pack and rest each one in its proper location before fastening.
- 5. **DO NOT** fully tighten screws (leave slightly loose). When the item is fully assembled tighten the screws but do not over tighten.


Warning: In order to prevent overturning, this product must be used with the wall attachment device provided.


Daily Care:

Water and other liquids can cause discoloration and damage to the surface. In case any liquids are spilled on the surface, remove immediately with a clean cloth. Avoid rubbing the spilled liquid into the veneer, but wipe gently, using a clean, firmly wrung damp cloth. If stains or marks persist, seek professional help and advice.


Wood expands and contracts according to the surrounding humidity and temperature. In case of temperature and humidity fluctuations, the wood might warp and/or crack. To avoid this, do not place the furniture near a radiator or in hot surroundings.

Take care when moving the furniture across the floor. Do not drag the furniture, as this can cause damage to both the furniture and the floor.







Please make sure you have all these parts before you start.



Insert 10 x Dowels (C) into 5 x Legs (5) as shown.





Step 2




Fix Leg (5) onto Bottom Panel (4) with 1 x Bolt (D), 1 x Washer (T) using Allen key(R). Repeat with the remaining Legs (5) onto the Bottom Panel (4) as shown. Attach 5 x Foot Pads (S) to the 5 x Legs (5).


Screw 9 x Connecting Bolts (A) into Bottom Panel (4) as shown.






Step 4








Position 2 x Side Panels (2) and Divider Panel (3) to Bottom Panel (4) as shown Please make sure the locking nut holes are facing right on Divider Panel (3). Use a screwdriver to turn the locking nuts clockwise to lock.




Slide Back Panel (6) into the grooves of Sides (2) and Bottom Panel (4). 520850-01-01 8-19








If necessary, adjust the assembly so that the diagonal measurements of the assembly are equal. Fix the Back Panel (6) in place using 20 x Screws (E) and Plastic Stoppers (Q) and 4 x Screws (F) as shown.




- I. With help, move the buffet into position. Mark drilling points on the wall.
- II. If necessary, remove the buffet and drill holes with sizes suitable for your wall fixings.
- III. Install wall fixings in the holes.
- IV. Fix the wall brackets to the wall with appropriate wall fixing screws.
- V. Fasten the wall brackets to the underside of the top panel.




Insert 8 x Shelf Supports (L) into desired locations on the Side and Divider panels.


Gently place the 2 x Shelf Panel (7) as shown.









Step 12







IMPORTANT NOTE:
Ensure you use Hinge M
or door will rub on side wall.


Fix 2 x Hinges (M) to Door Panel (8) using 4 x Screws (E). Fix 1 x Catch Plate (H) to Door Panel (8) using 2 x Screws (E).
















Attach the door to the cabinet as shown. Loosely attach 1 x Handle (J) to Door Panel (8) using 2 x Bolts (K).

Align Handle (J) to the Door Panel (8) and fasten Bolts (K).


Step 14







IMPORTANT NOTE: Ensure you use Hinge (N) NOT Hinge M.


Fix 2 x Hinges (N) to Door Panel (9) using 4 x Screws (E). Fix 1 x Catch Plate (H) to Door Panel (9) using 2 x Screws (E).
















9 8

Attach the door to the cabinet as shown.


Loosely attach 1 x Handle (J) to Door Panel (9) using 2 x Bolts (K). Align Handle (J) to the Door Panel (9) as shown and fasten Bolts (K).


Step 16








Fix 2 x Hinges (N) to Door Panel (8) using 4 x Screws (E). Fix 1 x Catch Plate (H) to Door Panel (8) using 2 x Screws (E).












Attach the door to the cabinet as shown.

Loosely attach 1 x Handle (J) to Door Panel (8) using 2 x Bolts (K). Align Handle (J) to the Door Panel (8) and fasten Bolts (K).


Step 18


You will need	
Buman	0
6 x Screws	1 x Catch Plate
(E)	(H)
2 x Hinge	
(M)	



IMPORTANT NOTE: Ensure you use Hinge M or door will rub on side wall.

Fix 2 x Hinges (M) to Door Panel (8) using 4 x Screws (E).
Fix 1 x Catch Plate (H) to Door Panel (8) using 2 x Screws (E).







(8)

Attach the door to the cabinet as shown.

Loosely attach 1 x Handle (J) to Door Panel (8) using 2 x Bolts (K).

Align Handle (J) to the Door Panel (8) and fasten Bolts (K)





Job Complete!

In the interest of our environment Please dispose of all packaging thoughtfully.



THIS PRODUCT IS FINISHED WITH LACQUER

Avoid placing hot items directly onto the surface unless using a thick insulation material such as placemats or coasters. Heat may lead to discolouration or other damage to the surface of the product.

Use a soft cloth that has been dampened in water to clean the surface of this product. Do not use abrasive cleaners, furniture wax or polish on the surface of this product, as it may damage the surface.

CAUTION: FREQUENT EXPOSURE TO DIRECT SUNLIGHT OR SIMILAR SOURCES MAY CAUSE THE SURFACE TO DISCOLOUR OR FADE.