

Read these instructions and follow steps carefully to ensure you assemble the product correctly and avoid damages. Check that all parts and hardware have been provided before assembling the products. Place all contents on a clean, soft-flat surface to avoid scratching the product.

CAUTION:

Only tighten bolts to 80% at first. Once all parts have been assembled, fully tighten all hardware.

To prevent damage to threads, do not use a power tool and do not over tighten bolts.

Use two people to lift and turn the product when assembling.

Do not attempt with only one person and do not rail onto legs.

Keep all hardware and small parts away from children.

Box of 1: Headboard(A), Footboard(B), Plastic caps(N), End rail(O).

Box of 2: Siderail(C), Middle rail(D), Cross bar(E), Middle cross bar(F), Support legs(G), U-bracket(H), Plywood slats(I), Footboard post(J), Headboard post(K), Canopy bar(L), Upper connect bar(M), Hardware.












Please confirm you have all the parts listed before commencing assembly.




PART LIST

ITEM	DESCRIPTION	QTY
A	HEADBOARD	1
B	FOOTBOARD	1
C	SIDERAIL	2
D	MIDDLE RAIL	1
E	CROSS BAR	2
F	MIDDLE CROSS BAR	1
G	SUPPORT LEGS	3
H	U-BRACKET	2
I	PLYWOOD SLATS	12
J	FOOTBOARD POST	2
K	HEADBOARD POST	2
L	CANOPY BAR	2
M	UPPER CONNECT BAR	3
N	PLASTIC CAPS	24
O	END RAIL	1

HARDWARE LIST


ITEM	DESCRIPTION	QTY
1	SCREW M6x13mm 	12
2	SCREW M6x25mm 	8
3	HEX NUTS M6 	12
4	FLAT WASHER 	31
5	SCREW M6x40mm 	9
6	SPANNER 	1
7	ALLEN KEY M4 	1
8	ALLEN KEY M5 	1
9	SCREW M8x55mm 	10
10	SCREW M6x55mm 	12
11	WASHER 	24

STEP 1




Note: Assembled one side first, Do not fully tighten the bolts until the other side tightening.


STEP 2




STEP 3




STEP 4




STEP 5



STEP 6




STEP 7




Note: Press side first then the other

STEP 8



STEP 9



The feet should be adjusted up (i.e. off the ground) before moving the bed to prevent damaging the centre rail and support legs.